

Monthly Noise Monitoring Assessment

Tomingley Gold Mine, June 2023



Document Information

Monthly Noise Monitoring Assessment

Tomingley Gold Mine

June 2023

Prepared for: Tomingley Gold Operations Pty Limited



Prepared by: Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

P: +61 2 4920 1833

www.mulleracoustic.com

Document ID	Date	Prepared By	Signed	Reviewed By	Signed
MAC160270-2023RP06	30 June 2023	Nicholas Shipman		Oliver Muller	

DISCLAIMER

All documents produced by Muller Acoustic Consulting Pty Ltd (MAC) are prepared for a particular client's requirements and are based on a specific scope, circumstances and limitations derived between MAC and the client. Information and/or report(s) prepared by MAC may not be suitable for uses other than the original intended objective. No parties other than the client should use or reproduce any information and/or report(s) without obtaining permission from MAC. Any information and/or documents prepared by MAC is not to be reproduced, presented or reviewed except in full.

CONTENTS

1	INTRODUCTION	5
2	ENVIRONMENTAL PROTECTION LICENSE NOISE LIMITS.....	7
3	METHODOLOGY	9
3.1	LOCALITY.....	9
3.2	ASSESSMENT METHODOLOGY	9
4	RESULTS	11
4.1	METEOROLOGICAL CONDITIONS.....	11
4.2	ASSESSMENT RESULTS - LOCATION R2.....	13
4.3	ASSESSMENT RESULTS - LOCATION R3/R29	14
4.4	ASSESSMENT RESULTS - LOCATION R4.....	15
4.5	ASSESSMENT RESULTS - LOCATION R5.....	16
4.6	ASSESSMENT RESULTS - LOCATION R6.....	17
4.7	ASSESSMENT RESULTS - LOCATION R23.....	18
5	DISCUSSION	19
5.1	DISCUSSION OF RESULTS - LOCATION R2	19
5.2	DISCUSSION OF RESULTS - LOCATION R3/R29.....	19
5.3	DISCUSSION OF RESULTS - LOCATION R4	19
5.4	DISCUSSION OF RESULTS - LOCATION R5	19
5.5	DISCUSSION OF RESULTS - LOCATION R6	20
5.6	DISCUSSION OF RESULTS - LOCATION R23	20
6	COMPARISON OF ATTENDED AND UNATTENDED MONITORING RESULTS	21
7	CONCLUSION	23

APPENDIX A - GLOSSARY OF TERMS

This page has been intentionally left blank

1 Introduction

Muller Acoustic Consulting Pty Ltd (MAC) has been commissioned by Tomingley Gold Operations Pty Ltd (TGO) to complete a Noise Monitoring Assessment (NMA) for Tomingley Gold Mine (the mine), Tomingley, NSW.

The NMA involved quantifying the noise contribution of the mine by direct attended measurements to determine mining noise emissions so that effective management and controls can be implemented where required. The monitoring has been conducted in accordance with the TGO Noise Management Plan and in general accordance with Conditions L4.2 to L4.7 of the EPL at six representative receiver locations. It is noted that this assessment has been completed as part of an internal noise management initiative and does not form part of the annual noise monitoring program to address conditions of the Environmental Protection License (EPL).

The assessment has been conducted in accordance with the following documents:

- NSW Environment Protection Authority (EPA), Noise Policy for Industry (NPI), 2017;
- NSW Environment Protection Authority (EPA's), Approved methods for the measurement and analysis of environmental noise in NSW, 2022;
- Environment Protection Licence EPL 20169 (EPL);
- Standards Australia AS/NZS IEC 61672.1-2019-Electroacoustics - Sound level meters – Specifications; and
- Standards Australia AS 1055:2018 - Acoustics - Description and measurement of environmental noise - General Procedures.

A glossary of terms, definitions and abbreviations used in this report is provided in **Appendix A**.

This page has been intentionally left blank

2 Environmental Protection License Noise Limits

Historic assessments for the mine categorise receivers into Noise Assessment Groups (NAGs). The NAGs were derived based on ambient noise data that controlled receiver RBLs.

Table 1 reproduces the operational and sleep disturbance noise limits for assessed receivers referenced from the EPL that have been adopted for this NMA and are consistent with historic EPL monitoring locations.

Table 1 Noise Limits, dBA					
Noise Assessment Group	Receivers	Day LAeq(15min)	Evening LAeq(15min)	Night LAeq(15min) LA1(1min)	
NAG A	R4, R5, R6	35	35	35	45
NAG B	R2	36	35	35	45
NAG C	R3/R29	45	35	35	45
NAG D	R23	43	38	36	45

Note: Refer to figure in Appendix 4 of Project Approval 09-0155 for noise locations. However, these criteria do not apply if the Proponent has an agreement with the relevant owner(s) of these residences / land to generate higher noise levels, and the Proponent has advised the Department of Planning and Infrastructure and EPA in writing of the terms of this agreement.

This page has been intentionally left blank

3 Methodology

3.1 Locality

TGO is located to the south of the village of Tomingley, NSW. Receivers in the locality surrounding the mine are primarily rural/residential and for consistency the naming conventions for each receiver have been retained from historic noise assessments. The monitoring locations with respect to the mine are presented in the locality plan shown in **Figure 1**.

3.2 Assessment Methodology

The attended noise survey was conducted in general accordance with the procedures described in Standards Australia AS 1055:2018, "Acoustics - Description and Measurement of Environmental Noise" and the EPL. Measurements were carried out using a Svantek Type 1, 971 noise analyser between Monday 19 June 2023 and Wednesday 21 June 2023. The acoustic instrumentation used carries appropriate and current NATA (or manufacturer) calibration certificates with records of all calibrations maintained by MAC as per Approved methods for the measurement and analysis of environmental noise in NSW (EPA, 2022) and complies with AS/NZS IEC 61672.1-2019-Electroacoustics - Sound level meters - Specifications. Calibration of all instrumentation was checked prior to and following measurements. Drift in calibration did not exceed $\pm 0.5\text{dBA}$

Both evening and night measurements were of 15-minutes in duration. Where possible, throughout each survey the operator quantified the contribution of each significant noise source. Extraneous noise sources were excluded from the analysis to calculate the $L_{Aeq}(15\text{min})$ mine noise contribution for comparison against the relevant EPL limit.

Prevailing meteorological conditions for the monitoring period were sourced from TGO's meteorological station and analysed in accordance with Appendix D1 of the NPI to determine the stability category present at the time of each measured sample. This was undertaken to determine applicability of results in accordance with Condition L4.3 of the EPL. Results obtained during non-prevailing meteorological conditions (ie F Class Stability in conjunction with a 2m/s drainage or G Class Stability) are considered not applicable against the EPL criteria. Although some prevailing meteorological conditions were recorded during the assessment period, ground level conditions remained calm.


It is noted that due to adverse meteorological conditions, data was unable to be obtained during the evening period on the Monday 19 June 2023 at location R4.



FIGURE 1
LOCALITY PLAN
MAC160270
Tomingley Gold Operations

KEY

-  Receivers
-  Brooklands
-  TGO Boundary



4 Results

The monitoring and assessment results are presented in individual tables for each assessment location.

4.1 Meteorological Conditions

Weather data for the noise assessment was sourced from TGOs on-site meteorological. The data was used to determine prevailing meteorological conditions at the time of the attended measurements, which are presented in **Table 2**.

Table 2 Prevailing Meteorological Conditions

Time & Date	TGO on-site Meteorological Station	
	Wind Direction	Wind (m/s)
19/06/2023 19:34	S	2.8
19/06/2023 20:18	SSW	4.1
19/06/2023 20:42	SW	3.5
19/06/2023 21:07	SW	2.5
19/06/2023 21:32	SW	2.8
19/06/2023 22:03	SW	2.2
19/06/2023 22:25	SW	2.7
19/06/2023 22:45	SW	2.8
19/06/2023 23:09	SW	2.0
19/06/2023 23:35	SW	2.0
20/06/2023 00:00	SW	1.6
20/06/2023 19:35	SE	1.9
20/06/2023 19:57	SSW	1.4
20/06/2023 20:21	SSW	0.7
20/06/2023 20:43	SE	1.0
20/06/2023 21:03	SE	1.0
20/06/2023 21:26	E	0.5
20/06/2023 22:03	SSE	1.5
20/06/2023 22:25	ESE	1.8
20/06/2023 22:44	SSE	0.9
20/06/2023 23:05	NE	0.8
20/06/2023 23:30	ESE	0.5
20/06/2023 23:52	SSE	1.3
21/06/2023 19:37	E	0.9
21/06/2023 19:58	E	1.3
21/06/2023 20:22	E	2.1
21/06/2023 20:44	E	2.1
21/06/2023 21:03	SE	0.9
21/06/2023 21:26	ENE	2.4
21/06/2023 22:03	ENE	3.1
21/06/2023 22:24	ENE	2.5
21/06/2023 22:42	ENE	4.3
21/06/2023 23:03	ENE	3.8
21/06/2023 23:27	NE	3.7
21/06/2023 23:49	ENE	5.6

4.2 Assessment Results - Location R2

The results of the attended noise measurements at location R2 for the June 2023 survey are summarised in **Table 3** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 3 Operator-Attended Noise Survey Results – Location R2							
Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL Limit	Meteorology ¹	Description and SPL, dBA
		L _A max	L _A eq	L _A 90			
19/06/2023	21:31 (Evening)	43	27	23	35	WD: SW	Livestock 28-39
						WS: 2.8m/s	Dog 31-43
						Stab Class: D	TGO processing <28
						TGO Site L _A eq(15min) Contribution	
19/06/2023	22:03 (Night)	51	26	23	35	WD: SW	Livestock 29-44
						WS: 2.2m/s	Traffic 26-51
						Stab Class: E	TGO processing <26
						TGO Site L _A eq(15min) Contribution	
20/06/2023	21:25 (Evening)	51	32	30	35	WD: E	Operator 46-51
						WS:0.5m/s	Livestock 30-33
						Stab Class: F	TGO processing 30-31
						TGO Site L _A eq(15min) Contribution	
20/06/2023	22:03 (Night)	55	33	30	35	WD: SSE	Operator 44-55
						WS: 1.4m/s	Livestock 28-30
						Stab Class: D	TGO processing 31-34
						TGO Site L _A eq(15min) Contribution	
21/06/2023	21:26 (Evening)	48	31	26	35	WD: ENE	Dog 26-23
						WS: 2.4m/s	Operator 40-48
						Stab Class: E	TGO processing 26-29
						TGO Site L _A eq(15min) Contribution	
21/06/2023	22:03 (Night)	59	38	26	35	WD: ENE	Livestock 33-35
						WS: 3.8m/s	Traffic 35-59
						Stab Class: D	TGO processing 30-33
						TGO Site L _A eq(15min) Contribution	

Note 1: Meteorological data obtained from TGO's on-site weather station.

4.3 Assessment Results - Location R3/R29

The results of the attended noise measurements at location R3/R29 for the June 2023 survey are summarised in **Table 4** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 4 Operator-Attended Noise Survey Results – Location R3/R29

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL Limit	Meteorology ¹	Description and SPL, dBA
		L _{Amax}	L _{Aeq}	L _{A90}			
19/06/2023	20:42 (Evening)	87	69	37	35	WD: SW	Traffic 40-87 TGO processing <35
						WS: 3.5m/s	
						Stab Class: D	
TGO Site L _{Aeq} (15min) Contribution							<35
19/06/2023	22:45 (Night)	83	65	36	35	WD: SW	Traffic 35-83
						WS: 2.8m/s	Aircraft 40-45
						Stab Class: D	TGO processing <32
TGO Site L _{Aeq} (15min) Contribution							<32
20/06/2023	20:43 (Evening)	85	68	40	35	WD: SE	Traffic 35-85
						WS: 1.0m/s	TGO inaudible
						Stab Class: E	
TGO Site L _{Aeq} (15min) Contribution							<30
20/06/2023	22:44 (Night)	87	66	42	35	WD: SSE	Traffic 40-87
						WS: 0.9m/s	Dog 42-52
						Stab Class: E	Truck idle 50-52 TGO processing <35
TGO Site L _{Aeq} (15min) Contribution							<35
21/06/2023	20:44 (Evening)	86	65	37	35	WD: E	Traffic 37-86
						WS: 2,1m/s	TGO inaudible
						Stab Class: E	
TGO Site L _{Aeq} (15min) Contribution							<27
21/06/2023	22:42 (Night)	88	67	41	35	WD: ENE	Traffic 40-88
						WS: 4.3m/s	TGO inaudible
						Stab Class: D	
TGO Site L _{Aeq} (15min) Contribution							<31

Note 1: Meteorological data obtained from TGO's on-site weather station.

4.4 Assessment Results - Location R4

The results of the attended noise measurements at location R4 for the June 2023 survey are summarised in **Table 5** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 5 Operator-Attended Noise Survey Results – Location R4

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL	Meteorology ¹	Description and SPL, dBA
		L _{Amax}	L _{Aeq}	L _{A90}	Limit		
Due to constant rainfall during the measurement period, monitoring was unable to be completed as per Table A1, Fact Sheet A in the Noise Policy for Industry (NPI), 2017 and AS1055:2018.							
19/06/2023	23:35 (Night)	50	34	28	35	WD: SW	Livestock 26-34
						WS: 2.0m/s	Traffic 30-50
						Stab Class: E	TGO reverse alarm <30
TGO Site L _{Aeq} (15min) Contribution							<30
20/06/2023	19:57 (Evening)	52	31	23	35	WD: SSW	Traffic 25-52
						WS: 1.4m/s	Birds 35-38
						Stab Class: D	TGO inaudible
TGO Site L _{Aeq} (15min) Contribution							<20
20/06/2023	23:30 (Night)	52	27	18	35	WD: ESE	Traffic 25-52
						WS: 0.5m/s	Dog 31-33
						Stab Class: F	TGO inaudible
TGO Site L _{Aeq} (15min) Contribution							<18
21/06/2023	19:58 (Evening)	49	34	26	35	WD: E	Traffic 28-48
						WS: 1.3m/s	TGO inaudible
						Stab Class: F	
TGO Site L _{Aeq} (15min) Contribution							<20
21/06/2023	23:27 (Night)	55	45	42	35	WD: NE	Wind in trees 40-54
						WS: 3.7m/s	TGO inaudible
						Stab Class: D	
TGO Site L _{Aeq} (15min) Contribution							<30

Note 1: Meteorological data obtained from TGO's on-site weather station.

4.5 Assessment Results - Location R5

The results of the attended noise measurements at location R5 for the June 2023 survey are summarised in **Table 6** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 6 Operator-Attended Noise Survey Results – Location R5

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL Limit	Meteorology ¹	Description and SPL, dBA
		L _A max	L _A eq	L _A 90			
19/06/2023	19:34 (Evening)	80	66	42	35	WD: S	Traffic 50-80
						WS: 2.7m/s	Wind in trees 40-45
						Stab Class: F	TGO inaudible
						TGO Site L _A eq(15min) Contribution	
20/06/2023	00:00 (Night)	80	58	14	35	WD: S	Traffic 25-80
						WS: 1.2m/s	TGO inaudible
						Stab Class: D	
						TGO Site L _A eq(15min) Contribution	
20/06/2023	19:35 (Evening)	80	64	41	35	WD: SW	Traffic 40-80
						WS: 1.5m/s	TGO inaudible
						Stab Class: F	
						TGO Site L _A eq(15min) Contribution	
20/06/2023	23:52 (Night)	77	56	32	35	WD: SSE	Traffic 33-77
						WS: 1.2m/s	Off-site drilling 31-33
						Stab Class: D	
						TGO Site L _A eq(15min) Contribution	
21/06/2023	19:37 (Evening)	81	65	38	35	WD: E	Traffic 40-80
						WS: 0.9m/s	TGO inaudible
						Stab Class: F	
						TGO Site L _A eq(15min) Contribution	
21/06/2023	23:49 (Night)	79	59	39	35	WD: E	Traffic 40-79
						WS: 5.6m/s	Wind in trees 36-46
						Stab Class: D	TGO processing 30-34
						TGO Site L _A eq(15min) Contribution	

Note 1: Meteorological data obtained from TGO's on-site weather station.

4.6 Assessment Results - Location R6

The results of the attended noise measurements at location R6 for the June 2023 survey are summarised in **Table 7** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 7 Operator-Attended Noise Survey Results – Location R6

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL Limit	Meteorology ¹	Description and SPL, dBA
		L _A max	L _A eq	L _A 90			
19/05/2023	20:18 (Evening)	58	46	42	35	WD: SSW	Traffic 50-58
						WS: 4.1m/s	Wind in trees 42-48
						Stab Class: D	TGO inaudible
TGO Site L _A eq(15min) Contribution							<32
19/05/2023	23:09 (Night)	52	28	22	35	WD: SW	Traffic 25-52
						WS: 2.0m/s	Aircraft 27-43
						Stab Class: D	TGO inaudible
TGO Site L _A eq(15min) Contribution							<20
20/05/2023	20:21 (Evening)	50	33	28	35	WD: SSW	Traffic 27-50
						WS: 0.7m/s	Livestock 30-35
						Stab Class: D	TGO processing <28
TGO Site L _A eq(15min) Contribution							<28
20/05/2023	23:05 (Night)	49	31	26	35	WD: NE	Traffic 32-42
						WS: 1.8m/s	Operator 44-49
						Stab Class: D	Livestock 28-30 TGO processing 30-33
TGO Site L _A eq(15min) Contribution							32
21/05/2023	20:22 (Evening)	51	31	24	35	WD: E	Traffic 26-50
						WS: 2.1m/s	Livestock 32-38
						Stab Class: E	Aircraft 30-34 TGO processing 26-28
TGO Site L _A eq(15min) Contribution							27
21/05/2023	23:03 (Night)	50	43	40	35	WD: ENE	Traffic 35-50
						WS: 3.8m/s	Wind in trees 38-42
						Stab Class: D	Aircraft 40-48 Livestock 33-35 TGO processing 33-35
TGO Site L _A eq(15min) Contribution							34

Note 1: Meteorological data obtained from TGO's on-site weather station.

4.7 Assessment Results - Location R23

The results of the attended noise measurements at location R23 for the June 2023 survey are summarised in **Table 8** with the relevant EPL limits, the calculated mining noise contribution and prevailing meteorological conditions at the time of each measurement.

Table 8 Operator-Attended Noise Survey Results – Location R23

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			EPL Limit	Meteorology ¹	Description and SPL, dBA
		L _{Amax}	L _{Aeq}	L _{A90}			
19/06/2023	21:07 (Evening)	68	43	34	38	WD: SW WS: 2.5m/s Stab Class: D	Traffic 35-68 TGO processing <33
							TGO Site L _{Aeq} (15min) Contribution <33
19/06/2023	22:25 (Night)	79	53	37	36	WD: SW WS: 2.7m/s Stab Class: E	Traffic 38-79 TGO processing <33
							TGO Site L _{Aeq} (15min) Contribution <33
20/06/2023	21:03 (Evening)	60	48	40	38	WD: SE WS: 1.0m/s Stab Class: E	Traffic 35-60 TGO processing 34-36
							TGO Site L _{Aeq} (15min) Contribution 35
20/06/2023	22:25 (Night)	61	49	40	36	WD: E WS: 1.8m/s Stab Class: D	Traffic 40-61 Local residential noise 40-47 TGO processing <35
							TGO Site L _{Aeq} (15min) Contribution <35
21/06/2023	21:03 (Evening)	60	47	40	38	WD: SE WS: 0.9m/s Stab Class: F	Traffic 35-60 Livestock 38-40 TGO inaudible
							TGO Site L _{Aeq} (15min) Contribution <30
21/06/2023	22:24 (Night)	69	48	34	36	WD: ENE WS: 2.5m/s Stab Class: D	Traffic 35-69 TGO processing 33-35
							TGO Site L _{Aeq} (15min) Contribution 34

Note 1: Meteorological data obtained from TGO's on-site weather station.

5 Discussion

5.1 Discussion of Results - Location R2

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on six occasions during the assessment period at location R2. The estimated mining contributions were measured between 26dBA and 33dBA, therefore TGO emissions remained below the relevant noise limit of 35dB LAeq(15min). Extraneous sources such as dogs barking, operator noise, traffic and livestock were audible during the measurement period.

5.2 Discussion of Results - Location R3/R29

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on three occasions during the assessment period at location R3/R29. The estimated mining contributions were measured between <27dBA and 35dBA, therefore TGO emissions remained below the relevant noise limit of 35dB LAeq(15min). Extraneous sources such as traffic, aircraft and dogs barking were audible during the measurement period.

5.3 Discussion of Results - Location R4

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on one occasion during the assessment period at location R4. The estimated mining contribution was measured at <30dBA, therefore TGO emissions remained below the relevant noise limit of 35dB LAeq(15min). Extraneous sources such as birds, traffic, livestock, dogs barking and wind in trees were audible during the measurement period.

5.4 Discussion of Results - Location R5

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on one occasion during the assessment period at location R5. The estimated mining contribution was measured at 32dBA, therefore TGO emissions remained below the relevant noise limit of 35dB LAeq(15min). Extraneous sources such as traffic, offsite drilling and wind in trees were audible during the measurement period.

5.5 Discussion of Results - Location R6

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on four occasions during the assessment period at location R6. The estimated mining contributions were measured between 27dBA and 34dBA, therefore the relevant noise limit of 35dB LAeq(15min) was satisfied. Extraneous sources such as traffic, aircraft, wind in trees, operator and livestock were audible during the measurement period.

5.6 Discussion of Results - Location R23

Monitoring between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO activities were audible on five occasions during the assessment period at location R23. The estimated mining contributions were measured between 33dBA and <36dBA, therefore the noise limit of 38dB LAeq(15min) for evening and 36dB LAeq(15min) for night was satisfied. Extraneous sources such as traffic, livestock, and local residential noise were audible during the measurement period.

6 Comparison of Attended and Unattended Monitoring Results

To address Condition 6 of Schedule 3 of the Project Approval, a program to calibrate and validate the real-time noise monitoring results with the attended monitoring results has been completed.

The validation compares monthly attended monitoring results against the closest assessed unattended monitoring location. Currently, TGO has an unattended real-time monitoring terminal installed at the Brooklands property (nearest to R23). **Figure 1** identifies the location of the monitor with respect to the attended monitoring locations. It is noted that the Brooklands unattended monitor is situated 600m west of the attended noise monitoring location R23, therefore, background (LA90) noise levels are significantly lower due to offset distance to highway traffic.

Historically, a comparison of mine noise contributions between attended and unattended noise monitoring demonstrates a general consistency between attended and unattended results. It was noted that wind, insects, birds, and highway traffic noise influenced measured noise levels for this assessment. Furthermore, for June 2023, results remained below the relevant criteria for attended locations.

Table 9 provides a summary comparison of results between the attended and unattended noise surveys for R23.

Table 9 Comparison of Attended and Unattended Results

Assessment Type	Time (hrs)	Descriptor (dBA re 20 µPa)			Criteria	Mine Noise Contribution	Meteorology ¹	Description and SPL, dBA
		LA _{max}	LA _{eq}	LA ₉₀				
Monday 19 June 2023								
Attended	21:07	68	43	34	38	<33	WD: SW WS: 2.5m/s	Traffic 35-68 TGO processing <33
Unattended	21:00	52	44	41	38	<31	Stab Class: D	No audio trigger
Attended	22:25	79	53	37	36	<33	WD: SW WS: 1.2m/s	Traffic 38-79 TGO processing <33
Unattended	22:30	50	39	33	36	<23	Stab Class: E	Traffic TGO inaudible
Tuesday 20 June 2023								
Attended	21:03	60	48	40	38	35	WD: SE WS: 1.0m/s	Traffic 35-60 TGO processing <34-36
Unattended	21:00	53	43	39	38	<29	Stab Class: E	No audio trigger
Attended	22:25	61	49	40	36	<36	WD: E WS: 0.4m/s Stab Class: D	Traffic 35-60 Local residential noise 40-47 TGO processing <36
Unattended	22:30	54	41	30	36	<20		No audio trigger
Wednesday 21 June 2023								
Attended	21:03	60	47	40	38	<30	WD: SE WS: 0.9m/s Stab Class: F	Traffic 35-60 Livestock 38-40 TGO inaudible
Unattended	21:00	56	45	37	38	<27		No audio trigger
Attended	22:24	69	48	34	36	34	WD: ENE WS: 4.5m/s Stab Class: D	Traffic 35-69 TGO processing 33-35
Unattended	22:30	60	45	31	36	<21		No audio trigger

Note 1: Meteorological data obtained from TGO's on-site weather station or by direct measurement by the operator.

7 Conclusion

Muller Acoustic Consulting Pty Ltd (MAC) has completed a Noise Monitoring Assessment (NMA) on behalf of Tomingley Gold Operations Pty Ltd (TGO). The assessment was completed to provide monthly monitoring data so that TGO can actively quantify and manage site noise emissions.

Attended monitoring conducted between Monday 19 June 2023 and Wednesday 21 June 2023 identified that TGO mine noise were audible on several occasions during the measurement period. A review of monitoring data and operator attended observations determined that TGO contributions remained below relevant limits.

This page has been intentionally left blank

Appendix A - Glossary of Terms

Several technical terms have been used in this report and are explained in **Table A1**.


Table A1 Glossary of Terms	
Term	Description
1/3 Octave	Single octave bands divided into three parts
Octave	A division of the frequency range into bands, the upper frequency limit of each band being twice the lower frequency limit.
ABL	Assessment Background Level (ABL) is defined in the NPI as a single figure background level for each assessment period (day, evening and night). It is the tenth percentile of the measured L90 statistical noise levels.
Ambient Noise	The noise associated with a given environment. Typically a composite of sounds from many sources located both near and far where no particular sound is dominant.
A Weighting	A standard weighting of the audible frequencies designed to reflect the response of the human ear to noise.
dBA	Noise is measured in units called decibels (dB). There are several scales for describing noise, the most common being the 'A-weighted' scale. This attempts to closely approximate the frequency response of the human ear.
dB(Z)	Decibels Linear or decibels Z-weighted.
Hertz (Hz)	The measure of frequency of sound wave oscillations per second - 1 oscillation per second equals 1 hertz.
LA10	A noise level which is exceeded 10 % of the time. It is approximately equivalent to the average of maximum noise levels.
LA90	Commonly referred to as the background noise, this is the level exceeded 90 % of the time.
LAeq	The summation of noise over a selected period of time. It is the energy average noise from a source, and is the equivalent continuous sound pressure level over a given period.
LAmx	The maximum root mean squared (rms) sound pressure level received at the microphone during a measuring interval.
RBL	The Rating Background Level (RBL) is an overall single figure background level representing each assessment period over the whole monitoring period. The RBL is used to determine the intrusiveness criteria for noise assessment purposes and is the median of the ABL's.
Sound power level (SWL)	<p>This is a measure of the total power radiated by a source. The sound power of a source is a fundamental location of the source and is independent of the surrounding environment. Or a measure of the energy emitted from a source as sound and is given by :</p> $= 10 \cdot \log_{10} (W/W_0)$ <p>Where : W is the sound power in watts and W₀ is the sound reference power at 10-12 watts.</p>

Table A2 provides a list of common noise sources and their typical sound level.

Table A2 Common Noise Sources and Their Typical Sound Pressure Levels (SPL), dBA

Source	Typical Sound Level
Threshold of pain	140
Jet engine	130
Hydraulic hammer	120
Chainsaw	110
Industrial workshop	100
Lawnmower (operator position)	90
Heavy traffic (footpath)	80
Elevated speech	70
Typical conversation	60
Ambient suburban environment	40
Ambient rural environment	30
Bedroom (night with windows closed)	20
Threshold of hearing	0

Figure A1 – Human Perception of Sound



Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

Ph: +61 2 4920 1833

www.mulleracoustic.com

